

# Dice ice makers



**Half Dice**  
5 g  
W 10 mm x D 22 mm x H 28 mm



**Dice**  
10 g  
W 22 mm / D 22 mm / H 22 mm




**Large**  
12 g  
W 28 mm / D 22 mm / H 28 mm

## Prodigy Plus C series

### C 0322

**Cube size:**  
Half Dice - S  
Dice - M




559 mm

Model	Voltage			Shipping info			
	A - Air cooled R - Remote condenser	230/50/1	230/60/1	115/60/1	weight kg	dimensions W x D x H - mm	volume m <sup>3</sup>
<b>C 0322 SA</b>	✓	✓			66	650x700x710	0,32
<b>C 0322 MA</b>	✓	✓	✓		66	650x700x710	0,32

**Max daily production:** up to 137 kg Medium cubes

### C 0522

**Cube size:**  
Half Dice - S  
Dice - M




559 mm

<b>C 0522 SA</b>	✓	✓	✓		73	650x700x710	0,32
<b>C 0522 MA</b>	✓	✓	✓		73	650x700x710	0,32

**Max daily production:** up to 214 kg Medium cubes

### C 0722

**Cube size:**  
Half Dice - S  
Dice - M




559 mm

<b>C 0722 SA</b>	✓	✓	✓		86	860x710x710	0,43
<b>C 0722 MA</b>	✓	✓	✓		86	860x710x710	0,43

**Max daily production:** up to 330 kg Medium cubes

### C 0530

**Cube size:**  
Half Dice - S  
Dice - M




762 mm

<b>C 0530 SA</b>	✓	✓	✓		80	850x700x710	0,42
<b>C 0530 MA</b>	✓	✓	✓		80	850x700x710	0,42

**Max daily production:** up to 217 kg Medium cubes

### C 0630

**Cube size:**  
Half Dice - S  
Dice - M




762 mm

<b>C 0630 SA</b>	✓	✓			86	850x700x710	0,42
<b>C 0630 MA</b>	✓	✓			86	850x700x710	0,42

**Max daily production:** up to 300 kg Medium cubes

### C 0830

**Cube size:**  
Half Dice - S  
Dice - M



762 mm

<b>C 0830 SA</b>	✓	✓			100	850x700x870	0,52
<b>C 0830 MA</b>	✓	✓			100	850x700x870	0,52


**Max daily production:** up to 360 kg Medium cubes

High production

## Prodigy Plus C series

### C 1030

**Cube size:**  
Half Dice - **S**  
Dice - **M**




Model	Voltage		Shipping info		
	A - Air cooled R - Remote condenser	230/50/1	230/60/1	weight kg	dimensions W x D x H - mm
<b>C 1030 SA</b>	✓	✓	107	850x700x870	0,52
<b>C 1030 MA</b>	✓	✓	107	850x700x870	0,52
<b>C 1030 SR</b>	✓	✓	107	850x700x870	0,52
<b>C 1030 MR</b>	✓	✓	107	850x700x870	0,52

**Max daily production:** up to 416 kg Medium cubes

### C 1448

**Cube size:**  
Half Dice - **S**  
Dice - **M**




<b>C 1448 SA</b>	✓	✓	157	1310x700x870	0,80
<b>C 1448 MA</b>	✓	✓	157	1310x700x870	0,80
<b>C 1448 SR</b>	✓	✓	157	1310x700x870	0,80
<b>C 1448 MR</b>	✓	✓	157	1310x700x870	0,80

**Max daily production:** up to 636 kg Medium cubes

### C 1848

**Cube size:**  
Half Dice - **S**  
Dice - **M**



<b>C 1848 SA</b>	✓	✓	161	1310x700x870	0,80
<b>C 1848 MA</b>	✓	✓	161	1310x700x870	0,80
<b>C 1848 SR</b>	✓	✓	161	1310x700x870	0,80
<b>C 1848 MR</b>		✓	161	1310x700x870	0,80

**Max daily production:** up to 736 kg Medium cubes

### C 2148

**Cube size:**  
Half Dice - **S**  
Dice - **M**



<b>C 2148 SR</b>	✓	✓	168	1310x700x870	0,80
<b>C 2148 MR</b>	✓	✓	168	1310x700x870	0,80

**Max daily production:** up to 869 kg Medium cubes

#### Remote condenser



<b>ERC 311 for C 1030 SR / MR</b>	58	1450x580x600	0,504
<b>ERC 611 for C 1448 SR-MR, C 1848 SR-MR, C 2148 SR-MR</b>	64	750x740x980	0,544


#### Tube line sets

<b>BRTE 10</b>	10 ft (3 m) - pre-charged R404A
<b>BRTE 25</b>	25 ft (7,6 m) - pre-charged R404A
<b>BRTE 40</b>	40 ft (12,2 m) - pre-charged R404A
<b>BRTE 75</b>	75 ft (22,9 m) - pre-charged R404A

# Prodigy Eclipse complete system

## EH Series ECLIPSE

Eclipse® technology moves the compressor and condenser away from the ice making head, moving noise and heat away from customers & workers, resulting in a quieter environment.




<b>EH 222 SL</b> Ice maker Half Dice cube	<b>PRICE ON REQUEST</b>
<b>ECC 0800</b> Remote condenser	
<b>Prodigy Eclipse accessories</b>	
<b>3 BRTE 20 - EH</b> - Line set 20 ft Refrigerant and Brazing required	<b>PRICE ON REQUEST</b>
<b>3 BRTE 35 - EH</b> - Line set 35 ft Refrigerant and Brazing required	
<b>3 BRTE 50 - EH</b> - Line set 50 ft Refrigerant and Brazing required	

## NU series

### NU 100

**Cube size:**  
Half Dice - **H**  
Dice - **D**  
Large - **L**



600 mm


744 / 770 mm with short legs

Model	Voltage			Shipping info			
	AS-Air cooled WS - Water cooled	230/50/1	230/60/1	380-400/50/3	weight kg	dimensions W x D x H - mm	volume m <sup>3</sup>
<b>NU H 100 AS</b>	✓	✓			60	670x680x910	0,41
<b>NU H 100 WS</b>	✓				60	670x680x910	0,41
<b>NU D 100 AS</b>	✓	✓			60	670x680x910	0,41
<b>NU D 100 WS</b>	✓				60	670x680x910	0,41
<b>NU L 100 AS</b>	✓	✓			60	670x680x910	0,41

**Max daily production:** up to 56 kg Dice cubes - **Bin capacity:** 20 kg

### NU 150

**Cube size:**  
Half Dice - **H**  
Dice - **D**  
Large - **L**



600 mm


744 / 770 mm with short legs

<b>NU H 150 AS</b>	✓	✓			62	670x680x910	0,41
<b>NU H 150 WS</b>	✓	✓			62	670x680x910	0,41
<b>NU D 150 AS</b>	✓	✓			62	670x680x910	0,41
<b>NU D 150 WS</b>	✓	✓			62	670x680x910	0,41
<b>NU L 150 AS</b>	✓	✓			62	670x680x910	0,41

**Max daily production:** up to 85 kg Dice cubes - **Bin capacity:** 20 kg

### NU 220

**Cube size:**  
Half Dice - **H**  
Dice - **D**  
Large - **L**



650 mm


842/870 mm with short legs

<b>NU H 220 AS</b>	✓	✓			73	720x770x1020	0,57
<b>NU H 220 WS</b>	✓	✓			73	720x770x1020	0,57
<b>NU D 220 AS</b>	✓	✓			73	720x770x1020	0,57
<b>NU D 220 WS</b>	✓	✓			73	720x770x1020	0,57
<b>NU L 220 AS</b>	✓	✓			73	720x770x1020	0,57

**Max daily production:** up to 109 kg Dice cubes - **Bin capacity:** 37 kg

### NU 300

**Cube size:**  
Half Dice - **H**  
Dice - **D**  
Large - **L**



650 mm

869/1003 mm with longer legs

<b>NU H 300 AS</b>	✓	✓			77	720x770x1050	0,59
<b>NU H 300 WS</b>	✓	✓			77	720x770x1050	0,59
<b>NU D 300 AS</b>	✓	✓			77	720x770x1050	0,59
<b>NU D 300 WS</b>	✓	✓			77	720x770x1050	0,59
<b>NU L 300 AS</b>	✓	✓			77	720x770x1050	0,59

**Max daily production:** up to 142 kg Dice cubes - **Bin capacity:** 37 kg


Note: - On models NU 100/150/220 short legs included, h. 42 mm - Optional KIT LEGS, h. 150 mm, available, to be requested separately (code: KITLEGSNU300 € 60)  
- On model NU 300 h. 150 mm legs included

## High & medium production

## NW series (including EcoX)

### NW 307 R290

Cube size:  
Dice - **D**




Model	Voltage			Shipping info			
	AS - Air cooled WS - Water cooled	230/50/1	230/60/1	380-400/50/3	weight kg	dimensions W x D x H - mm	volume m <sup>3</sup>
<b>NW D 307 AS</b>	✓				63	620x680x800	0,34

**Max daily production:** up to 190 kg Dice cubes

### NW 308

Cube size:  
Half Dice - **H**  
Dice - **D**  
Large - **L**



<b>NW H 308 AS</b>	✓	✓			63	620x680x800	0,34
<b>NW H 308 WS</b>	✓	✓			63	670x680x910	0,34
<b>NW D 308 AS</b>	✓	✓			63	620x680x800	0,34
<b>NW D 308 WS</b>	✓	✓			63	670x680x910	0,34
<b>NW L 308 AS</b>	✓	✓			63	620x680x800	0,34

**Max daily production:** up to 160 kg Dice cubes

### NW 507 R290

Cube size:  
Dice - **D**




<b>NW D 507 AS</b>	✓				77	620x680x800	0,34
--------------------	---	--	--	--	----	-------------	------

**Max daily production:** up to 210 kg Dice cubes

### NW 508

Cube size:  
Half Dice - **H**  
Dice - **D**  
Large - **L**



<b>NW H 508 AS</b>	✓	✓			77	620x680x800	0,34
<b>NW H 508 WS</b>	✓	✓			77	620x680x800	0,34
<b>NW D 508 AS</b>	✓	✓			77	620x680x800	0,34
<b>NW D 508 WS</b>	✓	✓			77	620x680x800	0,34
<b>NW L 508 AS</b>	✓	✓			77	620x680x800	0,34

**Max daily production:** up to 230 kg Dice cubes

### NW 457 R290

Cube size:  
Dice - **D**



<b>NW D 457 AS</b>	✓				87	830x690x770	0,44
--------------------	---	--	--	--	----	-------------	------

**Max daily production:** up to 220 kg Dice cubes - Stackable unit

### NW 458

Cube size:  
Half Dice - **H**  
Dice - **D**  
Large - **L**



<b>NW H 458 AS</b>	✓	✓			87	830x690x770	0,44
<b>NW H 458 WS</b>	✓	✓			87	830x690x770	0,44
<b>NW D 458 AS</b>	✓	✓			87	830x690x770	0,44
<b>NW D 458 WS</b>	✓	✓			87	830x690x770	0,44
<b>NW L 458 AS</b>	✓	✓			87	830x690x770	0,44

**Max daily production:** up to 215 kg Dice cubes - Stackable unit

## NW series

### NW 608

**Cube size:**  
Half Dice - H  
Dice - D  
Large - L



Model	Voltage			Shipping info			
	AS-Air cooled WS - Water cooled	230/50/1	230/60/1	380-400/50/3	weight kg	dimensions W x D x H - mm	volume m <sup>3</sup>
<b>NW H 608 AS</b>	✓	✓			92	830x690x770	0,44
<b>NW H 608 WS</b>	✓	✓			92	830x690x770	0,44
<b>NW D 608 AS</b>	✓	✓			92	830x690x770	0,44
<b>NW D 608 WS</b>	✓	✓			92	830x690x770	0,44
<b>NW L 608 AS</b>	✓	✓			92	830x690x770	0,44

**Max daily production:** up to 320 kg Dice cubes - Stackable unit

### NW 1008

**Cube size:**  
Half Dice - H  
Dice - D  
Large - L



<b>NW H 1008 AS</b>	✓	✓	✓		119	830x690x990	0,57
<b>NW H 1008 WS</b>	✓	✓			119	830x690x990	0,57
<b>NW D 1008 AS</b>	✓	✓	✓		119	830x690x990	0,57
<b>NW D 1008 WS</b>	✓	✓			119	830x690x990	0,57
<b>NW L 1008 AS</b>	✓	✓			119	830x690x990	0,57
<b>NW D 1008 ASR</b>	✓	✓			119	830x690x990	0,57
<b>NW H 1008 ASR</b>	✓	✓			119	830x690x990	0,57

**Remote condenser for NW D-H 1008 ASR** (Tube Line Set included)

**Max daily production:** up to 485 kg Dice cubes - Stackable unit

### NW 1408

**Cube size:**  
Half Dice - H  
Dice - D  
Large - L



<b>NW H 1408 AS</b>	✓	✓			145	830x690x1160	0,64
<b>NW H 1408 WS</b>	✓	✓			145	830x690x1160	0,64
<b>NW D 1408 AS</b>	✓	✓			145	830x690x1160	0,64
<b>NW D 1408 WS</b>	✓	✓			145	830x690x1160	0,64
<b>NW L 1408 AS</b>	✓	✓			145	830x690x1160	0,64
<b>NW D 1408 ASR</b>	✓	✓			135	830x690x1160	0,64
<b>NW H 1408 ASR</b>	✓	✓			135	830x690x1160	0,64

**Remote condenser for NW D-H 1408 ASR** (Tube Line Set included)

**Max daily production:** up to 680 kg Dice cubes - Stackable unit

#### Accessory:

Stacking kit to be used in case of double stacking (NW458/608/1008)

KSC 450 for NW458/608

KSC 1000 for NW1008